

CERTIFICATE OF COMPLIANCE

Certificate Number 20160202-E345867
Report Reference E345867-20150413
Issue Date 2016-February-02

Issued to: ADVANCED LIGHTING CONCEPTS INC, DBA
ENVIRONMENTALLIGHTS.COM
SUITE 102
11235 W BERNARDO CT
SAN DIEGO CA 92127

**This is to certify that
representative samples of**

LOW-VOLTAGE LIGHTING SYSTEMS, POWER UNITS,
LUMINAIRES AND FITTINGS
See Addendum Page

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 2108 Low Voltage Lighting Systems
UL 1598 / CSA 250.0-08 Luminaires
UL 8750 Light Emitting Diode (LED) Equipment for Use in
Lighting Products.

Additional Information:

See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20160202-E345867
Report Reference E345867-20150413
Issue Date 2016-February-02


Low Voltage, Dimmable, Class 2 LED Recessed or Surface-Mount Luminaires, Flexible type and Panel style, Type IC

Models Flexible Type Low Voltage Luminaries.

Models: X-F5050HYZ-G-5W-V, X-F5050HYZ-G-12W-V, X-F3528HYZ-G-12W-V, X-F2835HYZ-G-12W-V,
X-F5630HYZ-G-12W-V, X-F3020HYZ-G-12W-V, X-F335HYZ-G-12W-V, X-F3535HYZ-G-12W-V,
X-F5050HYZ-G-24W-V, X-F3528HYZ-G-24W-V, X-F2835HYZ-G-24W-V, X-F5630HYZ-G-24W-V,
X-F3020HYZ-G-24W-V, X-F335HYZ-G-24W-V, X-F3535HYZ-G-24W-V.

Models Panel type of Low Voltage Luminaries, suitable to dry or damp locations.

Models: EL-PL300X300X-DC, EL-PL300X600X-DC, EL-PL600X600X4-DC, EL-PL300X1200X-DC,
EL-PL300X300X-DB, EL-PL300X600X-DB, EL-PL600X600X-DB, EL-PL600X600X4-DB, EL-
PL620X620X-DB,
EL-PL620X620X4-DB, EL-PL300X1200X-DB, EL-PL600X1200X-DB, EL-PR145X-DB2, EL-PR145X-
DC, EL-PR180X-DB2, EL-PR180X-DC, EL-PR240X-DB2, EL-PR240-DC, EL-PR300X-DB2, EL-
PR300X-DC, EL-PL200X200X-DB2, EL-PL240X240X-DB2, EL-PL300X300X-DB2,
EL-PR180X-DS, EL-PR240X-DS, EL-PR300X-DS, EL-PL145X145X-DC, EL-PL180X180X-DC, EL-
PL240X240X-DC, EL-PL180X180X-DS, EL-PL240X240X-DS, EL-PL300X300X-DS, EL-PL300X600C-
DB, EL-PL600X600C-DB, EL-PL300X600TH-DB, EL-PL600X600TH-DB.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

