

LED Strip to LED Channel Compatibility

- Rules: For waterproof flexible strip, please refer to the Inside Channel Width (mm) for channel compatibility.
- no** If strip is wider than the inside width of the channel, the strip doesn't fit.
 - good** Fits, if the channel width is 100-150% of the strip width.
 - loose** Rather loose, if the channel width is more than 150% of the strip width.
 - too hot** Light bars should not be used with strip that consumes more than 12 watts per meter.

Channel, or Channel System	Inside Channel Width (mm)	Max. Strip Width (mm)	Non-Waterproof Flexible Strip												Rigid Strip Part #: RGB strip			SFR and ProFlex		
			Strip Width (mm)												xx3528-120-10 except CT	xx3528-240-10, ct3528-120-10	144/m pixel RGA or RGB CC5050-60	SFR-XX	SFR-XXX	PSFR, ProFlex
			3.50	5.10	8.00	10.00	11.00	12.00	14.00	15.00	20.00	28.00	10.00	10.00	12.00	8.00	13.25	15.20	15.50	
MCS172-2m	10.40	10.00																		
MCS173-2m	12.30	12.00																		
led-strip-light-bar-8-2m	8.36	8.00																		
CS001-2m	8.36	8.00																		
led-strip-light-bar-10-2m	10.80	10.00																		
led-strip-light-bar-12-2m	13.45	12.00																		
CS103-2m	37.12	28.00																		
CS104-2m	16.20	15.00																		
CS105-2m	16.20	15.00																		
CS106-2m	12.30	12.00																		
CS107-2m	12.30	12.00																		
CS108-2m	10.00	10.00																		
CS109-2m	10.00	10.00																		
CS110-2m	12.20	12.00																		
CS112-2m	10.00	10.00																		
CS113-2m	12.20	12.00																		
CS114-2m	12.30	12.00																		
CS115-2m	12.20	12.00																		
CS116-2m	20.70	20.00																		
CS117-2m	20.60	20.00																		
CS118-2m	20.60	20.00																		
CS119-2m	31.00	28.00																		
CS120-2m	32.50	28.00																		
CS121-2m	13.50	12.00																		
led-track-aluminum-2m	11.50	11.00																		
CS002-2m	11.50	11.00																		
CS003-2m	11.50	11.00																		
CS004-2m	11.50	11.00																		
CS005-2m	11.50	11.00																		
Klus-B1718ANODA-2m	11.22	11.00																		
CS056-2m	11.22	11.00																		
CS057-2m	11.22	11.00																		
CS058-2m	11.25	11.00																		
Klus-B3776-2m	11.25	11.00																		
CS059-2m	11.25	11.00																		
CS060-2m	11.25	11.00																		
CS061-2m	11.25	11.00																		
Klus-B1888ANODA-2m	10.95	10.00																		
CS062-2m	10.95	10.00																		
CS063-2m	10.95	10.00																		
CS064-2m	10.95	10.00																		
Klus-B3775-2m	11.14	11.00																		
CS065-2m	11.14	11.00																		
CS066-2m	11.14	11.00																		
CS067-2m	11.14	11.00																		
Klus-B3777-2m	11.13	11.00																		
CS068-2m	11.13	11.00																		
CS069-2m	11.13	11.00																		
CS070-2m	11.13	11.00																		
Klus-B4023ANODA-2m	11.20	11.00																		
CS071-2m	11.20	11.00																		
CS072-2m	11.20	11.00																		
CS073-2m	11.20	11.00																		
Klus-B468+43-2m	11.06	11.00																		
CS074-2m	11.06	11.00																		
CS075-2m	11.06	11.00																		
CS076-2m	11.06	11.00																		
Klus-B4370ANODA-2m	13.12	12.00																		
CS077-2m	13.12	12.00																		
CS078-2m	13.12	12.00																		
Klus-B4369ANODA-2m	12.89	12.00																		
CS079-2m	12.89	12.00																		
CS080-2m	12.89	12.00																		
Klus-B4476-2m	13.13	12.00																		
CS081-2m	13.13	12.00																		
CS082-2m	13.13	12.00																		

LED Strip to LED Channel Compatibility

- Rules: For waterproof flexible strip, please refer to the Inside Channel Width (mm) for channel compatibility.
- no** If strip is wider than the inside width of the channel, the strip doesn't fit.
 - good** Fits, if the channel width is 100-150% of the strip width.
 - loose** Rather loose, if the channel width is more than 150% of the strip width.
 - too hot** Light bars should not be used with strip that consumes more than 12 watts per meter.

Channel, or Channel System	Inside Channel Width (mm)	Max. Strip Width (mm)	Non-Waterproof Flexible Strip														Rigid Strip Part #: RGB strip	SFR and ProFlex			
			Strip Width (mm)											xx3528-120-10 except CT		xx3528-240-10, ct3528-120-10		144/m pixel RGA or RGB CC5050-60	SFR-XX	SFR-XXX	PSFR, ProFlex
			3.50	5.10	8.00	10.00	11.00	12.00	14.00	15.00	20.00	28.00	10.00	10.00	12.00	8.00		13.25	15.20	15.50	
Klus-B4477-2m	13.09	12.00																too tall			
CS083-2m	13.09	12.00																too tall			
CS084-2m	13.09	12.00																too tall			
Klus-B1889-2m	10.94	10.00																too tall			
CS085-2m	10.94	10.00																too tall			
Klus-B3579-2m	11.65	11.00																too tall			
CS086-2m	11.65	11.00																too tall			
Klus-B1890-2m	11.07	11.00																too tall			
Klus-B5556-2m	22.09	20.00																			
CS174-2m	22.09	20.00																			
CS175-2m	22.09	20.00																			
Klus-B1888K7-2m	10.95	10.00																			
CS122	10.95	10.00																			
CS123	10.95	10.00																			
Klus-B1718K7-2m	10.95	10.00																			
CS124	10.95	10.00																			
CS125	10.95	10.00																			
CS126	10.95	10.00																			
Klus-B4023K7-2m	11.20	11.00																			
CS127	11.20	11.00																			
CS128	11.20	11.00																			
CS129	11.20	11.00																			
Klus-B6367ANODA-2m	21.00	20.00																			
CS130	21.00	20.00																			
CS131	21.00	20.00																			
CS132	21.00	20.00																			
Klus-B4845-2m	11.20	11.00																			
CS133	11.20	11.00																			
CS134	11.20	11.00																			
Klus-B4845K7-2m	11.20	11.00																			
CS135	11.20	11.00																			
CS136	11.20	11.00																			
Klus-18015-2m	22.00	20.00																			
CS137	22.00	20.00																			
CS138	22.00	20.00																			
Klus-B6164-2m	22.00	20.00																			
CS139	22.00	20.00																			
CS140	22.00	20.00																			
CS141	22.00	20.00																			
CS142	22.00	20.00																			
Klus-18011-2m	47.00	28.00																			
CS143	47.00	28.00																			
CS144	47.00	28.00																			
Klus-18013-2m	57.00	28.00																			
CS145	57.00	28.00																			
CS146	57.00	28.00																			
Klus-18014-2m	54.00	28.00																			
CS147	54.00	28.00																			
CS148	54.00	28.00																			
Klus-18012-2m	45.00	28.00																			
CS149	45.00	28.00																			
CS150	45.00	28.00																			
Klus-B4570-2m	147.00	28.00																			
CS151	147.00	28.00																			
Klus-B6593-2m	44.00	28.00																			
CS152	44.00	28.00																			
Klus-B6597-2m	44.00	28.00																			
CS153	44.00	28.00																			
Klus-B6454-2m	24.00	20.00																			
CS154	24.00	20.00																			
CS155	24.00	20.00																			
Klus-B5551-2m	24.00	20.00																			
CS156	24.00	20.00																			
CS157	24.00	20.00																			
Klus-B5552-2m	24.00	20.00																			
CS158	24.00	20.00																			
CS159	24.00	20.00																			
Klus-B5553-2m	24.00	20.00																			
CS160	24.00	20.00																			
CS161	24.00	20.00																			
Klus-B5554-2m	24.00	20.00																			
CS162	24.00	20.00																			
CS163	24.00	20.00																			
Klus-B6144ANODA-2m	13.00	12.00																			
CS164	13.00	12.00																			
CS165	13.00	12.00																			
CS166	13.00	12.00																			
Klus-W4826ANODA-2m	10.80	10.00																			
CS167	10.80	10.00																			
CS168	10.80	10.00																			
Klus-B7176ANODA-2m	11.00	11.00																			
CS169	11.00	11.00																			
CS170	11.00	11.00																			
CS171	11.00	11.00																			