

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled

Dimmable CFL & LED bulbs

Compatible with Lutron 250W C·L® dimmers



Dimmable CFL & LED bulbs

Compatible with C·L® dimmers

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled

This list is designed to help you select bulbs that are compatible with Lutron C·L dimmers. The CFL and LED bulbs on this list were extensively tested by Lutron; the Lutron C·L dimmers were evaluated by UL and meet applicable safety standards.

How to use this list

If you already have a bulb:

Use the “Find” tool in your browser or PDF viewer to search for the model number that’s printed on the bulb. Then choose a C·L dimmer that’s compatible with that bulb.

If you already have a C·L dimmer:

Use the table of contents to find the corresponding pages for that control, and then select a bulb from that list.

What does “compatible” mean?

Compatible means that the bulbs can be dimmed, although the bulb’s dimming performance may not match what you’re used to seeing when dimming an incandescent or halogen bulb. These bulbs have also been electrically tested to confirm that the control may be used up to its full rated CFL/LED load without affecting the life of the control.

Products on this list are considered compatible with the respective Lutron C·L dimmers. Depending on the quality of the bulb you select, compatible bulbs may still:

- have less dimming range than an incandescent or halogen bulb
- dim less smoothly than an incandescent or halogen bulb
- flicker or shimmer at certain light levels
- buzz

For more information

If you’d like more information regarding bulb performance and test results, including dimming range, other dimmer options, and performance, please visit www.lutron.com/ledtool.

Please note: Bulb variations in lamp design and construction affect performance. Bulb manufacturers can modify their bulbs at any time, without notice to Lutron. This prevents Lutron from ensuring ongoing compatibility. For up-to-date specifications, performance, and/or any related recall information about the bulb, please visit the bulb manufacturer’s website.



Dimmable CFL & LED bulbs

Compatible with C·L® dimmers

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled

Table of Contents

Diva® C·L dimmers

- LED Bulbspages 1–9
- CFL Bulbspages 10



Ariadni® C·L dimmers

- LED Bulbspages 1–9
- CFL Bulbspages 10



Dimmable CFL & LED bulbs

Compatible with C•L® dimmers

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for 250W wall-mounted C•L dimmers

Diva® C•L: DVCL-253P, DVSCCL-253P
Ariadni® C•L: AYCL-253P



| Brand | Wattage | Model | Description |
|----------------------------|---------|-----------------------------|---|
| Commercial Electric | 12.5W | CE-JB4-600L-27K (T47) | 4" Downlight, 600 Lumen, Soft White, 2700K |
| | 12.5W | CE-JB6-650L-27K (T67) | 6" Downlight, 650 Lumen, Soft White, 2700K |
| | 14.5W | CED6 WW 120 WH | 6" Downlight, White |
| Cooper | 9.4W | RL560WH-R | Halo® Downlight, 600 Lumen, Warm White, 3000K |
| Cree | 6W | BA19-04527OMF-12DE26-1U100 | A19, Warm Soft White, 2700K, 450 Lumen, Medium base |
| | 9W | BA19-08050OMF-12DE26-1U100 | A19, Daylight, 5000K, 800 Lumen, Medium base |
| | 9.5W | BA19-08027OMF-12DE26-1U100 | A19, Warm Soft White, 2700K, 800 Lumen, Medium base |
| | 9.5W | BA19-08027OMF-12DE26-2U100 | A19, Soft White, 2700K, 800 Lumen, Medium base |
| | 9.5W | BBR30-06527FLF-12DE26-1U100 | BR30, 650 Lumen, Soft White, 2700K |
| | 9.5W | CR4-575L | 4" Downlight, 2700K, Medium Base |
| | 9.5W | CR6-575L | 6" Downlight, 2700K, Medium Base |
| | 9.5W | CR6-575L-GU24 | 6" Downlight, 2700K, GU24 Base |
| Ecosmart | 6W | ECS GP19 WW 40WE 120 | A19, 3000K |
| | 7W | ECS 25 40WE W27 120† | G25, Warm White, 2700K |
| | 8W | ECS 19 CW 120 | A19, Cool White, 5000K |
| | 8W | ECS 19 WW 120 | A19, Warm White, 3000K |
| | 8W | ECS 20 CW FL 120 | PAR20, Daylight, 5000K, 490 Lumen |
| | 8W | ECS 20 CW FL 50WE 120† | PAR20, 5000K, 490 Lumen |
| | 8W | ECS 20 WW FL 120 | PAR20, Warm White, 3000K |
| | 8W | ECS 20 WW FL 50WE 120† | PAR20, 3000K, 450 Lumen |
| | 8W | ECS 25 WW 120 | G25, Warm White, 3000K |
| | 8W | ECS A19 CW 40WE 120† | A19, 5000K, 480 Lumen |
| | 8W | ECS A19 V1 CW 120 | A19, Daylight, 5000K |
| | 8W | ECS A19 V1 WW 120 | A19, Warm White, 3000K |
| | 8W | ECS A19 WW 40WE 120† | A19, 3000K, 450 Lumen |
| | 8W | ECS BR20 50WE W27 120† | BR20, Warm White, 2700K |
| | 9.5W | ECO4-575L | 4" Downlight, 2700K, Medium Base |

† Requires a minimum of 2 lamps

Dimmable CFL & LED bulbs

Compatible with C•L® dimmers

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for 250W wall-mounted C•L dimmers

Diva® C•L: DVCL-253P, DVSCCL-253P
Ariadni® C•L: AYCL-253P



| Brand | Wattage | Model | Description |
|----------|---------|---------------------------|---|
| Ecosmart | 9.5W | ECO4-575L-50K | 4" Downlight, 5000K, Medium Base |
| | 9.5W | ECO4-575L-50K-GU24 | 4" Downlight, 5000K, GU24 Base |
| | 9.5W | ECO-575L | 6" Downlight, 2700K, Medium Base |
| | 9.5W | ECO-575L-50K-GU24 | 6" Downlight, 5000K, GU24 Base |
| | 9.5W | ECO-575L-GU24 | 6" Downlight, 2700K, GU24 Base |
| | 10.5W | ECS 30 75WE XXX GB XX 120 | PAR30, various color temperatures |
| | 13W | ECS A19 V2 CW 120 | A19, Daylight, 5000K |
| | 13W | ECS A19 V2 WW 120 | A19, Warm White, 3000K |
| | 15W | ECS 38 CW FL 90WE 120 | PAR38, 5000K, 970 Lumen |
| | 15W | ECS 38 WW FL 90WE 120 | PAR38, 3000K, 900 Lumen |
| | 15W | ECS BR30 W27 FL 120 | BR30, Soft White, 2700K |
| | 18W | ECS 38 CW FL 120 | PAR38, Daylight, 5000K |
| | 18W | ECS 38 WW FL 120 | PAR38, Warm White, 3000K |
| Feit | 4.8W | CFCDM/300/LED† | Candle, 3000K, 310 Lumen, Candelabra Base |
| | 4.8W | EFCDM/300/LED† | Candle, 3000K, 310 Lumen, Medium Base |
| | 7.5W | PAR20DM/5K/LED | PAR20, 5000K |
| | 7.5W | PAR20DM/LED | PAR20, 3000K |
| | 8W | A19/DM/LED | A19, 3000K |
| | 8W | A19DM/5K/LED | A19, 5000K |
| | 8W | BPCER20/DM/LED | R20 |
| | 8W | R20/DM/LED | R20, 2700K, 450 Lumen |
| | 8W | R20DM/LED/CAN | R20 |
| | 9.5W | BPCER20/DM/LED | PAR20 |
| | 9.5W | PAR20/5K/LEDG5 | PAR20, 5000K |
| | 9.5W | PAR20/5K/LEDG5/CAN | PAR20, 5000K |
| | 9.5W | PAR20/LEDG5 | PAR20, 3000K, 450 Lumen |
| | 9.5W | PAR20/LEDG5/CAN | PAR20 |
| | 10W | BPAG800/5K/LED | A19, 5000K |
| | 10W | BPAG800/LED | A19, 3000K, 800 Lumen |
| | 10W | G25/DM/LED | G25, 3000K |
| | 13W | BPCEBR30LED | BR30 |

† Requires a minimum of 2 lamps

Dimmable CFL & LED bulbs

Compatible with C•L® dimmers

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for 250W wall-mounted C•L dimmers

Diva® C•L: DVCL-253P, DVSCCL-253P
Ariadni® C•L: AYCL-253P



| Brand | Wattage | Model | Description |
|-------|-----------------|-----------------------|--|
| Feit | 13.5W | A19/OM800/5K/LED | A19, 5000K, Omni Directional |
| | 13.5W | A19/OM800/LED | A19, 3000K, Omni Directional |
| | 13.5W | A19DM/800/LED | A19, 3000K |
| | 13.5W | BPCEA19/OM800/LED | A19, Omni Directional |
| | 13.5W | BPCEA19/OM800/LED/CAN | A19, Omni Directional |
| | 15W | BPCEPAR30/LEDG5 | PAR30 |
| | 15W | PAR30L/5K/LEDG5 | PAR30, 5000K |
| | 15W | PAR30L/5K/LEDG5/CAN | PAR30, 5000K |
| | 15W | PAR30L/LEDG5 | PAR30 |
| | 15W | PAR30L/LEDG5/CAN | PAR30 |
| | 16W | A19/OM1100R/LED | A19, 3000K, 1100 Lumen, Omni Directional |
| | 16.8W | LEDR56/3K | 5"-6" Downlight, 3000K, 840 Lumen |
| | 17W | BPCEBR40/LED | BR40, 2700K, 1065 Lumen |
| | 18W | 18PAR38/DM/LED | PAR38, 3000K |
| | 18W | PAR38DM/5K/LED | PAR38, 5000K |
| | 18W | PAR38DM/LED | PAR38, 3000K |
| | 20W | 20PAR38/LEDG5 | PAR38 |
| | 20W | BPCEPAR38/LEDG5 | PAR38 |
| | 20W | PAR38/5K/LEDG5 | PAR38, 5000K |
| | 20W | PAR38/5K/LEDG5/CAN | PAR38, 5000K |
| 20W | PAR38/LEDG5 | PAR38 | |
| 20W | PAR38/LEDG5/CAN | PAR38 | |
| GE | 7W | LED7DP20B827/20 | PAR20, 2700K, Flood, Black Base |
| | 7W | LED7DP20B830/12 | PAR20, 3000K, Spot, Black Base |
| | 7W | LED7DP20B830/20 | PAR20, 3000K, Flood, Black Base |
| | 7W | LED7DP20S827/20 | PAR20, 2700K, Flood, Silver Base |
| | 7W | LED7DP20S830/20 | PAR20, 3000K, Flood, Silver Base |
| | 7W | LED7DP20W827/20 | PAR20, 2700K, Flood, White Base |
| | 7W | LED7DP20W830/12 | PAR20, 3000K, Spot, White Base |
| | 7W | LED7DP20W830/20 | PAR20, 3000K, Flood, White Base |
| | 10W | LED10DP30S827/20 | PAR30, 2700K, Short Neck, Silver Base |
| | 10W | LED10DP30S830/20 | PAR30, 3000K, Short Neck, Silver Base |

Dimmable CFL & LED bulbs

Compatible with C•L® dimmers

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for 250W wall-mounted C•L dimmers

Diva® C•L: DVCL-253P, DVSCCL-253P
Ariadni® C•L: AYCL-253P



| Brand | Wattage | Model | Description |
|------------------|---------|--------------------|--------------------------------------|
| GE | 10W | LED10DP30W827/20 | PAR30, 2700K, Short Neck, White Base |
| | 10W | LED10DP3LS827/20 | PAR30, 2700K, Long Neck, Silver Base |
| | 10W | LED10DP3LS830/20 | PAR30, 3000K, Long Neck, Silver Base |
| | 11W | LED11DA19RVL/TP† | A19, 2700K, 570 Lumen |
| | 11W | LED11DA19V2† | A19, 2700K, 800 Lumen |
| | 12W | LED12DR30RVL/BK | BR30, Reveal |
| | 12W | LED12DR30RVL/CDN | BR30, Reveal |
| | 12W | LED12DR30RVL/TP | BR30, Reveal 2850K, 630 Lumen |
| Halco | 18W | PAR38/18NW/FL/LED† | PAR38, 5000K |
| | 18W | PAR38/18WW/FL/LED† | PAR38, 2700K |
| | 20W | PAR38FL20/827/LED | PAR38, 2700K, 1150 Lumen Flood |
| | 20W | PAR38FL20/830/LED | PAR38, 3000K, 1200 Lumen Flood |
| | 20W | PAR38FL20/840/LED | PAR38, 4000K, 1250 Lumen Flood |
| | 20W | PAR38FL20/850/LED | PAR38, 5000K, 1300 Lumen Flood |
| | 20W | PAR38NFL20/827/LED | PAR38, 2700K, 1150 Lumen Flood |
| | 20W | PAR38NFL20/830/LED | PAR38, 3000K, 1200 Lumen Flood |
| | 20W | PAR38NFL20/840/LED | PAR38, 4000K Flood |
| | 20W | PAR38NFL20/850/LED | PAR38, 5000K, 1300 Lumen Flood |
| | 20W | PAR38SP20/827/LED | PAR38, 2700K, 1150 Lumen Spot |
| | 20W | PAR38SP20/830/LED | PAR38, 3000K, 1200 Lumen Spot |
| | 20W | PAR38SP20/840/LED | PAR38, 4000K Spot |
| | 20W | PAR38SP20/850/LED | PAR38, 5000K, 1300 Lumen Spot |
| Lighting Science | 8W | DFN 19 CW 120 | A19, Cool White, 5000K |
| | 8W | DFN 19 NW 120 | A19, Neutral White, 4000K |
| | 8W | DFN 19 W27 120 | A19, Warm White, 2700K |
| | 8W | DFN 19 WW 120 | A19, Warm White, 3000K |
| | 8W | DFN 20 CW FL 120 | PAR20, Cool White, 5000K |
| | 8W | DFN 20 CW NFL 120 | PAR20, Cool White, 5000K |
| | 8W | DFN 20 NW FL 120 | PAR20, Neutral White, 4000K |
| | 8W | DFN 20 NW NFL 120 | PAR20, Neutral White, 4000K |
| | 8W | DFN 20 W27 FL 120 | PAR20, Warm White, 2700K |
| | 8W | DFN 20 W27 NFL 120 | PAR20, Warm White, 2700K |

† Requires a minimum of 2 lamps

Dimmable CFL & LED bulbs

Compatible with C•L® dimmers

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for 250W wall-mounted C•L dimmers

Diva® C•L: DVCL-253P, DVSCCL-253P
Ariadni® C•L: AYCL-253P



| Brand | Wattage | Model | Description |
|------------------|---------|--------------------------|-----------------------------------|
| Lighting Science | 8W | DFN 20 WW FL 120 | PAR20, Warm White, 3000K |
| | 8W | DFN 20 WW NFL 120 | PAR20, Warm White, 3000K |
| | 8W | DFN 25 CW 120 | G25, Cool White, 5000K |
| | 8W | DFN 25 NW 120 | G25, Neutral White, 4000K |
| | 8W | DFN 25 W27 120 | G25, Warm White, 2700K |
| | 8W | DFN 25 WW 120 | G25, Warm White, 3000K |
| | 8W | DFN A19 V1 CW 120 | A19, Cool White, 5000K |
| | 8W | DFN A19 V1 NW 120 | A19, Neutral White, 4000K |
| | 8W | DFN A19 V1 W27 120 | A19, Warm White, 2700K |
| | 8W | DFN A19 V1 WW 120 | A19, Warm White, 3000K |
| | 10.5W | LS 30 75WE XXX GB XX 120 | PAR30, various color temperatures |
| | 13.5W | DFN A19 V2 CW 120 | A19, Cool White, 5000K |
| | 13.5W | DFN A19 V2 NW 120 | A19, Neutral White, 4000K |
| | 13.5W | DFN A19 V2 W27 120 | A19, Warm White, 2700K |
| | 13.5W | DFN A19 V2 WW 120 | A19, Warm White, 3000K |
| | 14.5W | GLP6 NW WH | 6" Downlight, White, 4000K |
| | 14.5W | GLP6 W27 WH | 6" Downlight, White, 2700K |
| | 14.5W | GLP6 WW WH | 6" Downlight, White, 3000K |
| | 15W | DFN BR30 CW FL 120 | BR30, Cool White, 5000K |
| | 15W | DFN BR30 NW FL 120 | BR30, Neutral White, 4000K |
| | 15W | DFN BR30 W27 FL 120 | BR30, Warm White, 2700K |
| | 15W | DFN BR30 WW FL 120 | BR30, Warm White, 3000K |
| | 18W | DFN 38 CW FL 120 | PAR38, Cool White, 5000K |
| | 18W | DFN 38 CW NFL 120 | PAR38, Cool White, 5000K |
| | 18W | DFN 38 NW FL 120 | PAR38, Neutral White, 4000K |
| | 18W | DFN 38 NW NFL 120 | PAR38, Neutral White, 4000K |
| | 18W | DFN 38 W27 FL 120 | PAR38, Warm White, 2700K |
| | 18W | DFN 38 W27 NFL 120 | PAR38, Warm White, 2700K |
| | 18W | DFN 38 WW FL 120 | PAR38, Warm White, 3000K |
| | 18W | DFN 38 WW NFL 120 | PAR38, Warm White, 3000K |
| Litetronics | 14W | LP14550FL2D | BR30, 2700K, 925 Lumen |
| | 14W | LP14550FL4D | BR30, 3000K, 925 Lumen |
| | 14W | LP14550FL6D | BR30, 4000K, 925 Lumen |

Dimmable CFL & LED bulbs

Compatible with C•L® dimmers

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for 250W wall-mounted C•L dimmers

Diva® C•L: DVCL-253P, DVSCCL-253P
Ariadni® C•L: AYCL-253P



| Brand | Wattage | Model | Description |
|----------------|---------|----------------------|---------------------------------------|
| Lumapro | 8W | 8A19/LED/DIM/30 | A19, Warm White, 3000K (6GEM2) |
| | 8W | 8A19/LED/DIM/50 | A19, Cool White, 5000K (6GEM3) |
| | 8W | 8PAR20/LED/DIM30/NFL | PAR20, Warm White, 3000K (6GEM4) |
| | 8W | 8PAR20/LED/DIM50/NFL | PAR20, Cool White, 5000K (6GEM5) |
| Luminus | 18W | TP120-RT5/6-DIM-E | Retrofit downlight, 3000K, 1100 Lumen |
| Philips | 8W | 9290002267 | A19, 2700K, 478 Lumen |
| | 8W | 9290002295 | A19, 5000K |
| | 8W | 9290002329 | PAR20, 3000K, 280 Lumen, Medium base |
| | 8W | 9290002330 | PAR20 |
| | 8W | 9290002331 | PAR20 |
| | 8W | 9290002332 | PAR20 |
| | 8W | 9290002333 | PAR20 |
| | 8W | 9290002334 | PAR20 |
| | 8W | 9290002335 | PAR20 |
| | 11W | 9290002268 | A19, 2700K, 830 Lumen |
| | 11W | 9290002296 | A19, 5000K, 830 Lumen |
| | 12.5W | 9290001829 | A19, 2700K, 908 Lumen |
| | 12.5W | 12E26A60 | A19, 2700K |
| | 13W | 13E26B30DAAAABAA | BR30, 3000K |
| | 13W | 9290002197 | BR30, 2700K, 721 Lumen |
| | 13W | 9290002523 | 13PAR38/F25 3000 DIM AF RO |
| | 14.5W | 9290002199 | BR40, 2700K, 832 Lumen |
| | 15W | 9290002426 | A21, 2700K, 1180 Lumen |
| | 17W | 9290002018 | A21, 2700K |
| | 17W | 17E26A21D | A21, 2700K |
| | 18W | 18E26PAR38D-2 | PAR38, 2700K |
| | 19W | 9290002473 | PAR38, 3000K, 1250 Lumen |
| | 19.5W | 9290002251 | PAR38, 3000K, 1210 Lumen |
| | 19.5W | 9290002252 | PAR38, 2700k, 1183 Lumen |
| | 19.5W | 9290002253 | PAR38, 3000k, 1212 Lumen |
| | 19.5W | 9290002291 | PAR38, 4000k, 1207 Lumen |

Dimmable CFL & LED bulbs

Compatible with C•L® dimmers

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for 250W wall-mounted C•L dimmers

Diva® C•L: DVCL-253P, DVSCCL-253P
Ariadni® C•L: AYCL-253P



| Brand | Wattage | Model | Description |
|----------|---------|--------------------------------|--|
| Philips | 19.5W | 9290002312 | PAR38, 2700k, 1100 Lumen |
| | 19.5W | 9290002313 | PAR38, 2700k, 1196 Lumen |
| | 19.5W | 9290002314 | PAR38, 3000k, 1200 Lumen |
| | 19.5W | 9290002315 | PAR38, 3000k, 1225 Lumen |
| | 19.5W | 9290002316 | PAR38, 4000k, 1200 Lumen |
| | 19.5W | 9290002317 | PAR38, 4000k, 1245 Lumen |
| | 19.5W | 9290002321 | PAR38, 2700k, 1172 Lumen |
| | 19.5W | 9290002322 | PAR38, 5000k, 1300 Lumen |
| | | 22W | 9290002290 |
| Satco | 7W | S8827 thru S8838 | PAR30 |
| | 13W | S8959 thru S8963 | PAR30 |
| | 14W | S8814 thru S8819 | PAR30 |
| | 14W | S8821 thru S8826 | PAR30 |
| | 17W | S8852 thru S8859 | PAR38 |
| | 17W | S8861 thru S8864 | PAR38 |
| | 17W | S8977-S8979 | PAR38 |
| | 17W | S8984-S8986 | PAR38 |
| Switch | 10W | A260FUS27B1 | A19, 800 Lumen |
| Sylvania | 8W | LED8A/DIM/F/827 | A19, 2700K |
| | 8W | LED8A/DIM/F/830 | A19, 3000K |
| | 8W | LED8G25/DIM/F/827 | G25, 2700K |
| | 8W | LED8G25/DIM/F/830 | G25, 3000K |
| | 8W | LED8PAR16/DIM/930/FL36/P/LW | PAR16, Soft White, 390 Lumen |
| | 8W | LED8PAR16/GU10/DIM/930/FL36/RP | PAR16, GU10, Soft White, 390 Lumen |
| | 8W | LED8R20/DIM/SE/830/RP | R20, Soft White, 2700K to 2000K, 520 Lumen |
| | 10W | LED/600/RT4/830/FL80/RP | Recessed lighting kit, 3000K, 600 Lumen |
| | 10W | LED/700/RT6/830/FL80/RP | Recessed lighting kit, 3000K, 625 Lumen |
| | 10W | LED/RT4/600/827/FL80 | Recessed lighting kit, 2700K, 600 Lumen |
| | 10W | LED/RT6/700/830/FL80 | Recessed lighting kit, 2700K, 700 Lumen |
| | 12W | LED12BR30/DIM/HO/827 | BR30, 2700K, Medium base |
| | 12W | LED12BR30/DIM/HO/827/HVP | BR30, 2700K, Medium base |

Dimmable CFL & LED bulbs

Compatible with C•L® dimmers

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for 250W wall-mounted C•L dimmers

Diva® C•L: DVCL-253P, DVSCCL-253P
Ariadni® C•L: AYCL-253P



| Brand | Wattage | Model | Description |
|------------------|---------|--------------------------------|---|
| Sylvania | 12W | LED12BR30/DIM/SE/830/RP | BR30, Soft White, 2700K to 2000K, 850 Lumen |
| | 16W | LED16BR40DIMHO827 | BR40, 2700K, 1100Lumen |
| | 20W | LED20PAR38/DIM/930/FL40/P2 | PAR38 |
| | 20W | LED20PAR38DIM830FL40 | PAR38, 3000K, 1300 Lumen |
| TCP | 11W | LED11E26BR3027K | BR30, 2700K |
| | 14W | LED14E26BR3027K | BR30, 2700K |
| | 17W | LED17E26P3827KFL | PAR38, 2700K |
| | 17W | LED17E26P3827KNFL | PAR38, 2700K |
| | 17W | LED17E26P3830KFL | PAR38, 3000K |
| | 17W | LED17E26P3830KFLBT | PAR38 |
| | 17W | LED17E26P3830KFLWT | PAR38 |
| | 17W | LED17E26P3830KNFL | PAR38, 3000K |
| | 17W | LED17E26P3830KNFLBT | PAR38 |
| | 17W | LED17E26P3830KNFLWT | PAR38 |
| | 17W | LED17E26P3841KFL | PAR38, 4100K |
| | 17W | LED17E26P3841KNFL | PAR38, 4100K |
| | 17W | LED17E26P3850KFL | PAR38, 5000K |
| | 17W | LED17E26P3850KNFL | PAR38, 5000K |
| Toshiba | 13W | LDRB1327WE6USD2 (13BR40/27K-T) | BR40, 2700K, 950 Lumen |
| | 13W | LDRB1340WE6USD2 (13BR40/40L-T) | BR40, 4000K, 1050 Lumen |
| Utilitech | 4.8W | LCFCDM/300/LED† | Candle, 3000K, 310 Lumen, Candelabra Base |
| | 4.8W | LEFCDM/300/LED† | Candle, 3000K, 310 Lumen, Medium Base |
| | 7.5W | LPAR20DM/5K/LED | PAR20, 5000K |
| | 7.5W | LPAR20DM/LED | PAR20, 3000K |
| | 8W | LA19DM/5K/LED | A19, 5000K |
| | 8W | LA19DM/LED | A19, 3000K |
| | 8W | LR20DM/LED | R20, 2700K, 450 Lumen |
| | 9.5W | LPAR20/5K/LEDG5 | PAR20, 5000K, 500 Lumen |
| | 9.5W | LPAR20/LEDG5 | PAR20, 3000K, 450 Lumen |
| | 10W | LA19DM/800/5K/LEDG2 | A19, 5000K |
| | 10W | LA19DM/800/LEDG2 | A19, 3000K, 800 Lumen |

† Requires a minimum of 2 lamps

Dimmable CFL & LED bulbs

Compatible with C•L® dimmers

List updated May 1, 2014
For the most up-to-date list, visit
www.lutron.com/dimcflled



LED bulbs for 250W wall-mounted C•L dimmers

Diva® C•L: DVCL-253P, DVSCCL-253P
Ariadni® C•L: AYCL-253P



| Brand | Wattage | Model | Description |
|--------------|---------|----------------------|--|
| Utilitech | 10W | LG25/DM/LED | G25, 3000K |
| | 13W | LBR30DM/LEDG2 | BR30 |
| | 13.5W | LA19/OM800/LED | A19, 3000K, 800 Lumen, Omni Directional |
| | 13.5W | LA19DM/800/LED | A19, 3000K |
| | 15W | LPAR30L/5K/LEDG5 | PAR30, 5000K, 800 Lumen |
| | 15W | LPAR30L/LEDG5 | PAR30, 3000K, 790 Lumen |
| | 16W | LA19/OM1100R/LED | A19, 3000K, 1100 Lumen, Omni Directional |
| | 18W | LPAR38DM/5K/LED | PAR38, 5000K |
| | 18W | LPAR38DM/LED | PAR38, 3000K |
| | 20W | L20PAR38/LEDG5 | PAR38 |
| | 20W | LPAR38/5K/LEDG5 | PAR38, 5000K, 1000 Lumen |
| | 20W | LPAR38/LEDG5 | PAR38 |
| | 23W | LPAR38/1400/5K/LEDG5 | PAR38, 5000K, 1400 Lumen |
| | 23W | LPAR38/1400/LEDG5 | PAR38, 3000K, 1400 Lumen |
| Westinghouse | 8W | 8A19/LED/DIM/30 | A19, Warm White, 3000K |
| | 8W | 8A19/LED/DIM/50 | A19, Cool White, 5000K |
| | 8W | 8PAR20/LED/DIM30/NFL | PAR20, Warm White, 3000K |
| | 8W | 8PAR20/LED/DIM50/NFL | PAR20, Warm White, 5000K |

Dimmable CFL & LED bulbs

Compatible with C·L® dimmers

List updated May 1, 2014
 For the most up-to-date list, visit
www.lutron.com/dimcflled



CFL bulbs* for 250W wall-mounted C·L dimmers

Diva® C·L: DVCL-253P, DVSCCL-253P
 Ariadni® C·L: AYCL-253P



| Brand | Wattage | Model | Description |
|-----------------|---------|------------------------|---------------------------------------|
| EcoSmart | 5W | 8TC05F | Candle, Torpedo Tip, 2700K, 200 Lumen |
| | 5W | 8TFC05F | Candle, Flame Tip, 2700K, 200 Lumen |
| | 5W | 8TC05 | Candle, (ES5CCDF052, ES9CCDF052) |
| | 23W | 40123 | Spiral, Soft White (ES5M823DIM2) |
| GE | 26W | FLE26/2/DVR/40 | R40 |
| Sylvania | 5W | CF5EL/DEC/DIM | Candle |
| | 5W | CF5EL/B10C/DIM/827/ADP | Candle |
| | 5W | CF5EL/B10/827/L/DIM | Candle |
| TCP | 3W | 8T03CL | Candle Clear |
| | 5W | 8TC05F | Candle |
| | 5W | 8TFC05F | Candle, flame tip |
| | 8W | 8A08WH | A-bulb |
| | 23W | 40123 | Spiral |

* CFLs typically require a warmup period before their full dimming range is achieved.