

## LED Test Report

### Product Mark

Product Type :6000K-2835-CLB160-7-8.4-480mm


Temperature :25'C

Humidity :65%

Operator :RD

Test Date :2020-09-28 16:15:35

Remark:6000K-2835-CLB160-7-8.4-480mm



### Chroma Parameters

Chro.Coord.:x=0.3194 y=0.3361 u=0.1998 v=0.3154 duv=0.0035

CCT: 6119K Dominant Wave.:494.3nm Purity:4.5%

Flux RGB Ratio:R=15.0%,G=80.7%,B=4.3% Peak Wave:454.6nm Half Width:30.0nm

### Rendering Index:Ra= 91.2

R1 =91 R2 =95 R3 =94 R4 =90 R5 =90 R6 =89 R7 =95 R8 =87  
R9 =61 R10=85 R11=89 R12=66 R13=93 R14=97 R15=90

### Photo Parameters

Flux:747.55lm

Effi.:90.1lm/W

Radiant:2361.0mW

Iv:0.0mcd

### Ele. Parameters

Voltage:U=24.000V

Current:I=0.3460A

Power:P=8.30W

Power Factor:PF=1.000

### Instrument state

Instrument:Hopoo HP8000S

Integral Time: 213.814ms

VPeak: 14421

VDark: 1194

Scan Range: 380-780nm

Product ID: 201501792