





## Low Voltage Ceiling Box – 4 inch


**UL Listed  
E511129**

Mounting for:  
WiFi Access Points  
Smoke Detectors  
Cameras



Longer tabs for faster installation on Truss ceilings





## Product Description - Ceiling Mount Box

This device solves 3 requirements for Code Compliant installation of Low Voltage devices in ceilings

- a) All wires inside Junction boxes
- b) Mechanical support by the rafters not the sheetrock
- c) Fire rated UL94V-0 polycarbonate material



It also solves problems in other ways


- a) Built in depth guide eliminates pre-installation depth measurement
- b) Allows hole cutting, tape, float, paint to be done by the sheetrock team before installing the lights
- c) Allows super fast trim installation
- d) Positions low voltage wire above sheetrock to avoid damage
- e) Marks the source and destination of the wires

## UL Listed

UL 2269 listed with file E511129 as a stand alone 'Signaling Cable Outlet Box' and under File E522252 as an accessory to the DL-120 LED fixture for mounting to the structure. .

## Mounting Options

AL-CBOX4-N		<p>Nailer – use #10 8d 2 ¼ inch nails</p> <p>Can also use most other hanger bars like the B620K</p>
AL-CBOX4		<p>Hanger Bar included</p>





Truss Installation




Beam installation

# Wiring Examples



## Ready@Rough Work Lights

Because the ATX LED family operates at low voltage – you can provide light in your projects at Rough – and not wait until trim. Our R@R family of products provides light immediately, which is replaced by the final project lighting at trim.



## Carton of 50

**ATX**  
**LED**



DL-120 LED  
(not included)

## **AL-CBOX4**

Ceiling Box with Hanger Bar for Low Voltage Devices



- ▶ See ATX LED website for compatible devices
- ▶ UL-listed low-voltage junction box E511129
- ▶ 14.3 inch to 22.5 inch adjustable hanger bar
- ▶ Suitable for truss or joist installations
- ▶ Not intended for ceiling fans
- ▶ Use 2-inch 8-32 screws for pendants
- ▶ See also AL-CBOX-N for installations with 8d nails

**50 Pack**

24 x 16 x 9 in  
34 lbs

