CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2149590-0 Report Reference E345867-20211224

> Date 5-Jan-2022

Advanced Lighting Concepts LLC d.b.a. Environmental Issued to:

Lights

11235 W Bernardo Ct, Suite 102 San Diego, CA 92127

United States

This is to certify that IFDR7 - Low-voltage Lighting Systems, Power Units, representative samples of

Luminaires and Fittings Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

CSA C22.2 NO. 250.2, 1st Ed., Issue Date: 2020-01-01 Standard(s) for Safety:

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.





CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2149590-0
Report Reference E345867-20211224

Date 5-Jan-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
CCT-puck-M-24V-F, Where CCT can be any	Low Voltage Lighting Systems
alphanumeric characters to indicate color or color	1. Y II. Y II. Y II. Y II. Y I
temperature, M can be any alphanumeric characters to	LVALVALVALVALV
be used for marketing purposes or blank, F can be any	\times \times \times \times \times
alphanumeric characters to indicate housing color.	
CCT-swivel-puck-M-12V-F, Where CCT can be any	Low Voltage Lighting Systems
alphanumeric characters to indicate color or color	
temperature, M can be any alphanumeric characters to	
be used for marketing purposes or blank, F can be any	I. VII. VII. VII. VII. VI
alphanumeric characters to indicate housing color.	$L\Lambda^{\circ}L\Lambda^{\circ}L\Lambda^{\circ}L\Lambda^{\circ}L\Lambda^{\circ}L\Lambda^{\circ}$
CCT-swivel-puck-M-24V-F, Where CCT can be any	Low Voltage Lighting Systems
alphanumeric characters to indicate color or color	
temperature, M can be any alphanumeric characters to	J
be used for marketing purposes or blank, F can be any	
alphanumeric characters to indicate housing color.	\times \times \times \times \times





Bruce Mahrenholz, Director North American Certification Program