## CERTIFICATE OF COMPLIANCE

Certificate Number 20180314-E499309

Report Reference E499309-20180313

Issue Date 2018-MARCH-14

Issued to: ADVANCED LIGHTING CONCEPTS INC, DBA

**ENVIRONMENTALLIGHTS.COM** 

**SUITE 102** 

11235 W BERNARDO CT SAN DIEGO, CA 92127 USA

This is to certify that Power Suppli representative samples of Including Electrical Including Electrical Power Supplier Power

Power Supplies, Information Technology Equipment

Including Electrical Business Equipment

Adapter - ELXXXYYYY [a], ELXXXYYYYz [b],

ELXXX1000Uz [c], ELXXXYYYYa [d] See Addendum page for footnotes

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60950-1 and CSA C22.2 No. 60950-1-07, Information

Technology Equipment - Safety - Part 1: General

Requirements

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>



## CERTIFICATE OF COMPLIANCE

Certificate Number 20180314-E499309

Report Reference E499309-20180313

Issue Date 2018-MARCH-14

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

- [a] Where the symbol XXX can be 030 to 480 to indicate the output voltage, 030 means 3Vdc, 480 means 48Vdc. Where the symbol YYYY can be 0010 to 8300 to indicate the output current, 0010 means 0.01A, 8300 means 8.3A.
- [b] Where the symbol XXX can be 030 to 480 to indicate the output voltage, 030 means 3Vdc, 480 means 48Vdc. Where the symbol YYYY can be 0010 to 9900 to indicate the output current, 0010 means 0.01A, 9900 means 9.9A. Where z can be blank or F to indicate enclosure type, blank is small enclosure type, F is big enclosure type.
- [c] Where the symbol XXX can be 030 to 120 to indicate the output voltage 030 means 3Vdc, 120 means 12Vdc. Where z can be blank or F to indicate enclosure type, blank is small enclosure type, F is big enclosure type.
- [d] Where the symbol XXX can be 030 to 580 to indicate the output voltage, 030 means 3Vdc, 580 means 58Vdc. Where the symbol YYYY can be 0100 to 9900 to indicate the output current, 0100 means 0.1A, 9900 means 9.9A. Where a can be blank or U, while U indicates output current times 10 times.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>

